Goddard Space Flight Center

450-PSLA-SAC-D

Exploration & Space Communications Projects Division, Code 450 Expiration Date: September 30, 2015 Greenbelt, Maryland 20771 (301) 286-6343

SAC-D		FY11 Operating Year Agreement ☑ Final Agreement			
Project Serv	ice Level Agreement	☐ Preliminary (Pending Budget Approval)			
M ⊠ NASA	lission Type	Future Year Planning for			
	SA Exploration and Space Co	ommunications Projects Division greement Approved by:			
Project/Mission Manager	Daniel Caruso, SAC-D Program Manag International Projects Office, the Comis Project Office for the SAC-D Mission Telephone: +54-11-4331-0074 ext. 208	ión Nacional de Actividades Espaciales			
GSFC Networks Integration Manager	Lynn Myers, Networks Integration Manager, Networks Integration Management Office, Code 450.1 Goddard Space Flight Center, Greenbelt, MD 20771 Telephone: (301) 286-6343; E-mail: c.l.myers@nasa.gov				
Flight Dynamics Facility		Operations Director			
NISN Service Manager	Susan L. Hoge, Flight Dynamics Facility Operations Director Navigation and Mission Design Branch, Code 595 Goddard Space Flight Center, Greenbelt, MD 20771 Telephone: (301) 286-3661; E-mail: Susan.L.Hoge@nasa.gov Gerald R. Zgonc, NISN Service Manager Code 731, NASA Integrated Service Network Goddard Space Flight Center, Greenbelt, MD 20771 Telephone: (301) 286-7160; E-mail: Gerald.R.Zgonc@nasa.gov				
Aquarius Data Systems Manager	Dr. Gene Carl Feldman, Aquarius Data Earth Sciences Division, Code 610.2 Goddard Space Flight Center, Greenbe Telephone: (301) 286-9428; E-mail: Ge	It, MD 20771			

PSLA HISTORY LOG

Issue	Effective Date	Expiration Date	Description of Changes
FY08 CCR 451/072	10/01/07	09/30/13	FY08 PSLA
FY11 CCR 450.1/000647	10/01/10	09/30/15	FY11 PSLA. Change document number.

PURPOSE

This Project Service Level Agreement (PSLA) describes space communications and data system requirements within the scope of services provided by the NASA Exploration and Space Communications Projects Division (ESC), whether actually performed by NASA, the customer project, or other sources. The primary purpose of a PSLA is to:

- Define the high level requirements for services to be provided.
- Identify any development required to augment standard services.
- Identify funding responsibilities.

The contents in this PSLA will be reviewed, updated, and approved/signed as deemed necessary by the Networks Integration Manager (NIM) and Mission Commitment Engineer (MCE).

This document is under configuration management of the GSFC Networks Integration Management Office (NIMO), Code 450.1, and Configuration Control Board (CCB).

Proposed changes to this document shall be submitted to the Code 450.1 CCB along with supportive material justifying the proposed change.

Changes to this document will be made by complete revision.

Comments or questions concerning this document, and proposed changes, may be addressed to:

Attention: Networks Integration Manager Exploration and Space Communications Projects Division Networks Integration Management Office/Code 450.1 Goddard Space Flight Center Greenbelt, MD 20771

Telephone: (301) 286-6343

ACRONYMS

<u>Term</u>	<u>Definition</u>	<u>Term</u>	<u>Definition</u>
ASF	Alaska Satellite Facility	NASA	National Aeronautics and Space Administration
CCB	Configuration Control Board	NEN	Near Earth Network
CCR	Configuration Change Request	NENSO	Near Earth Network Scheduling Office
CONAE	Comision Nacional de Actvidades Espaciales	NGIN	Next Generation Integrated Network
CTV	Compatibility Test Van	NIM	Networks Integration Manager
DSMC	Data Services Management Center	NIMO	Networks Integration Management Office
ESC	Exploration and Space Communications Projects Division	NISN	NASA Integrated Services Network
ETC	Cordoba Ground Station	NOM	Network Operations Manager
ETE	End-to-End	NOSP	Network Operations Support Plan
FDF	Flight Dynamics Facility	NRD	Network Requirements Document
FOR	Flight Operations Review	OD	Orbit Determination
FY	Fiscal Year	POC	Point of Contact
GPS	Global Positioning System	PSLA	Project Service Level Agreement
GSFC	Goddard Space Flight Center	psu	Practical Salinity Unit
ICD	Interface Control Document	RF	Radio Frequency
IIRV	Improved Interrange Vector	RFICD	Radio Frequency Interface Control Document
IP	Internet Protocol	RLV	Re-usable Launch Vehicle
I&T	Integration and Test	SAC-D	Satélite de Aplicaciones Cientificas-D
LEO	Low-Earth Orbit	SFTP	Secure File Transfer Protocol
LEOP	Launch and Early Orbit Phase	SG1	Svalbard Ground Station, Norway
LV	Launch Vehicle	SN	Space Network
MCE	Mission Commitment Engineer	SSS	Sea Surface Salinity
MGS	McMurdo Ground Station	TBD	To Be Determined
MOA/MOU	Memorandum of Agreement/ Memorandum of Understanding	TLE	Two Line Element
MOC	Mission Operations Center, located at Cordoba, Argentina	USSTRATCOM	United States Strategic Command
MORR	Mission Operations Readiness Review	UTDF	Universal Tracking Data Format
MSFC	Marshall Space Flight Center	VAFB	Vandenberg Air Force Base
N/A	Not Applicable	WAN	Wide Area Network

TABLE OF CONTENTS

PSLA	HISTOR	Y LOG		2
PURP	OSE			3
ACRO	NYMS			4
SECTI	ION A. C	USTOME	R INFORMATION	6
SECTI	ION B. C	USTOME	R REQUIREMENTS AND STANDARD SERVICES	8
	B.1		etworks/Data Services	
	D . 1	B.1.1	Near Earth Network Services	
		D. 1. I	B.1.1.1 Customer Requirements	
			B.1.1.2 Services Provided	8
		B.1.2	Space Network Services – Not Applicable	
		B.1.3	Customer Integration and Test	
		B.1.4 B.1.5	Satellite Laser Ranging Services – Not Applicable	
		-	Radio Frequency Interface Control Document	
	B.2		ace Network Services – Not Applicable	
	B.3	Flight Dy	ynamics Services	11
		B.3.1	Customer Requirements	
		B.3.2	Services Provided	11
	B.4	NASA In	tegrated Services Network Services	11
SECTI	ION C. RI	EQUIREN	MENTS FOR NON-NASA SERVICES – NOT APPLICABLE	12
SECTI	ION D. SI	ERVICE A	AND SCHEDULE SUMMARY	12
	D.1	Funding	Responsibility	12
	D.2	Estimate	ed Services for Future Years (FY12 – FY16)	12
		D.2.1	Customer's Master Schedule	12
		D.2.2	NIMO Summary Schedule	12
		D.2.3	Customer Deliverables	12
SECTI	ION E. PF	ROJECTE	ED DOCUMENTATION SET	13
APPE	NDIX A.	SAC-D M	ASTER SCHEDULE	14
APPE	NDIX B.	NETWOR	RKS INTEGRATION MANAGEMENT OFFICE SUMMARY SCHEDULE	15
			LIST OF TABLES	
Table	B-1. NFN	N Mission	Phase Requirements	9
Table	B-2. Cus	tomer Inte	egration and Test	10
			ts	
			WAN Servicesrvices for FY12 – FY16	
iable	บ-เ. ⊏รแ	maleu 5e	1 NICES 101 F 1 12 - F 1 10	1∠

SECTION A. CUSTOMER INFORMATION

Project/Mission Full N	ame: Satellte de Aplicaciones C	<u>Jientificas-L</u>	<u>.</u>			
Acronym or Short Title	e: <u>SAC-D</u>					
Points of Contact	Project/Mission Requirements Po Contact Gene C Feldman Ground Systems Manager Code 610.2; (301) 286-9428 Gene.C.Feldman@nasa.gov		Flight Dynamics Facility Point of Contact Leigh Janes, NASA GSFC Code 595.1 (301) 286-1128 Leigh.R.Janes@nasa.gov			
	Project/Mission Funding Point of Contact Gene C Feldman Ground Systems Manager Code 610.2; (301) 286-9428 Gene.C.Feldman@nasa.gov	I 1 1 (Xen Wentland Mission Commitn Near Earth Netwo 301) 805-3269	•		
	Project/Mission Ground Systems Point of Contact Susan Kennison Aquarius Ground System and Oper Code 614.2; (301) 286-4553; Susan.L.Kennison@nasa.gov	ations (Heather Kobin	ervice Representative ervice Representative asa.gov		
Category/Sponsor:	NASA	sion Directo ate (formerly n Directorate	rate (formerly (r Code S, Code e (formerly Cod	Code T) U, or Code Y) le M)		
	<u>Reimbursable</u>					
	Non-NASA U. S. Government					
	U.S. Commercial Space Laund	ch Act 🗌				
	Non-NASA Foreign					
	Other					
Mission Objectives:	The SAC-D mission is a partnershi Administration (NASA) and CONA and return science data from an Ear	AE, the Argen	ine space agency			
	Aquarius is one of eight payloads of NASA, is the primary instrument of space-based measurements of Sea Sand investigate the linkage between variability. The Project will general basis.	n SAC-D. Th Surface Salinit a ocean circula	e Aquarius Paylo y (SSS) to charaction, the Earth's	ad will make pioneering sterize salinity variation water cycle, and climate		
Launch/Flight Information:	☐ Space Shuttle LV☑ Expendable LV	☐ Aircraft ☐ Balloon		RLV Spacecraft		

	Specify: Ve	ehicle <u>Delta II</u>	7320-10C	Upper Stage				
	Launch Vehicle Customer/Sponsor:							
	Launch Site: Vandenberg Air Force Base (VAFB)							
	Operations Site: Cordoba, Argentina							
	Trajectory Regime Description: Low-Earth Orbit (LEO)							
	Launch/Flig	jht Date(s): <u>A</u>	pril 1, 2011					
Orbit/Flight Path	Check all th	at apply:						
Data:	☐ Aeroflig ☐ Deep Sp ☐ Heliocei	oace 🗵	High-Earth Orbit Low-Earth Orbit Formation-Flyer	☐ Suborbital☐ Selenocentric				
	☐ Multi-sp	acecraft con	stellation					
	☐ LaGran	ge Point	<u></u>					
	Other _							
	Orbital Para	ameters:						
	Apogee: 65	<u>7 km</u> Per	gee: <u>657 km</u> Inc	clination: 98.01 degrees				
	Other Traje	ctory Informa	tion: 6 pm ascending r	nodal crossing				
Key Mission Events and	d Dates:		issioning (complete): M missioning (complete):					
Launch and/or Mission Support Items:	Critical		twork (NEN), Cordoba (vices Network (NISN)	Ground Station (ETC), FDF, NASA				
Formulation Phase Sta	rt Date: 10/1/	/2003	Implementation	Phase Start Date: 8/1/2005				
Does this support invo	lve transfer o	of funds from	a non-NASA entity:	☐ Yes ⊠ No				
Present Phase of Devel	opment: Im	plementation						
Requirements Maturity	Assessmen	t: 🖂 >80%	□ >50%	 <50%				
Committed Support fro	m <u>04/01/2011</u>	to <u>L+3 years</u> (use L plus xx for pre	-launch versions)				
Potential Support Exter	nsion until $\underline{\mathrm{L}}$	+ 5 years (use	L plus xx for pre-lau	nch versions)				
Mission/Spacecraft Max	ximum Estim	nated Lifetime	: Launch plus 5 years					
Mission/Spacecraft Life	etime Limitin	g Factor: 🗌	Orbit Degradation					
			Radiation Degradati	on				
		\boxtimes	Onboard Consumat	oles				
			Replacement by Fol	low-On Mission				
			Other. Explain:					
Frequency Authorization	n Managed	by: <u>CONAE</u>						
Other mt 0 11 10	Eli 1 C	(CCEC): d	1 137404 . 11	* 1* *				

Other: The Goddard Space Flight Center (GSFC) is the lead NASA center and is providing the Aquarius instrument. CONAE is providing the Spacecraft (SAC-D) and operations control.

SECTION B. CUSTOMER REQUIREMENTS AND STANDARD SERVICES

B.1 GSFC NETWORKS/DATA SERVICES

The Exploration and Space Communications Projects Division (ESC) (Code 450.1) will provide telecommunications service for the Satélite de Aplicaciones Cientificas-D (SAC-D) Mission utilizing the Near Earth Network (NEN) (formerly NGN).

B.1.1 Near Earth Network Services

The SAC-D will use the Cordoba Ground Station (ETC) in Argentina, as the primary command and control site. The NEN, Svalbard, Norway (SG1); Fairbanks, Alaska Satellite Facility (ASF); McMurdo Ground Station, Antarctica (MGS); and Wallops Island, Virginia (WGS), will be used to provide real-time spacecraft command, housekeeping telemetry, and tracking services during Launch and Early Orbit Phase (LEOP), emergencies, calibrations, and maneuvers service. Telemetry and command rates will be 4 kbps. All telemetry will be recorded on site and saved for 30 days. Upon request, recorded data will be routed to the Mission Operations Center (MOC) in Cordoba, Argentina.

B.1.1.1 Customer Requirements

Operational service will accommodate both the monthly maneuvers and calibrations that will be scheduled as needed. For maneuvers, five contacts are expected for each maneuver. For calibrations, two contacts are expected per calibration.

Services can be broken down into the following phases:

- 1. LEOP. The postlaunch checkout of the SAC-D Spacecraft and Payload will proceed in three stages. The requirements for NEN service differ with each stage as follows:
 - a. NEN-Stage 1 Launch Day to Launch + 2 days. NEN services are required for all available passes with a 5-minute minimum.
 - b. NEN-Stage 2 From Launch + 3 days to Launch + 24 days. This will be a period of spacecraft checkout. NEN services are required for one pass per orbit.
 - c. NEN-Stage 3 From Launch +25 days to Launch + 45 days. This will be a period of initial activation and checkout of the instruments. NEN services are required for all available passes with a 5-minute minimum.

NOTE

On or about November 15, 2010, MGS will be closed for maintenance for approximately 4 months.

 On-orbit Operations. After the LEOP and Checkout activities are complete, the spacecraft will transition to routine operations. The routine operations period will consist of two regular activities, contingency services, and proficiency services.

NOTE: Proficiency passes are required to guarantee services.

- a. Cold Sky Calibration. Two passes per Cold Sky maneuver (a pitch maneuver of the SAC-D Spacecraft; pitch forward to 180 degrees, hold, and pitch back). One pass would be prior to the calibration and the other following the calibration. Cold sky maneuvers will be executed monthly.
- b. Orbit maneuvers. Five passes per Orbit Maneuver. There will be one maneuver per month.
- c. Contingency Services. To be scheduled as needed (i.e., One pass/orbit).
- d. Proficiency Services. To be scheduled (i.e., One pass/month) during any month where no other service is scheduled.

B.1.1.2 Services Provided

a. NEN Data Acquisition

The NEN will provide S-band command and telemetry service for the critical events, (i.e., Cold Sky Calibration and the Orbit Maneuvers). In the event neither maneuver is performed during a calendar month then a station proficiency pass will be scheduled for each NEN station.

b. <u>NEN Data Formatting and Transfer</u>

Command and telemetry data will be transported between the MOC and the NASA ground sites in Internet Protocol (IP) by NASA Integrated Services Network (NISN).

c. NEN Commanding

NEN commanding may be performed during any contact that is scheduled and executed.

d. NEN Tracking

Tracking services will be required for the first 60 days for the Flight Dynamics Facility (FDF) services.

Tracking data will include angles and Doppler in Universal Tracking Data Format (UTDF). Tracking data will be provided to the MOC postpass via the Secure File Transfer Protocol (SFTP).

NOTE: MGS does not provide tracking data.

e. <u>NEN Scheduling</u>

The MOC will exchange schedule information with the Data Systems Management Center (DSMC)/ Near Earth Network Scheduling Office (NENSO).

f. NEN Ephemeris Data

Launch to L+60 days. NENSO will use Improved Interrange Vectors (IIRV) provided by FDF for all ephemeris data sent to the ground stations.

After L+60 days:

Prime. NENSO will use Two Line Elements (TLE) provided by MOC for all ephemeris data sent to the ground station.

Backup. NENSO will use TLEs provided by the United States Strategic Command (USSTRATCOM) (Space Track) bulletin board for all ephemeris data sent to the ground stations.

NOTE: Because USSTRATCOM (Space Track) does not guarantee the timeliness of the information on their bulletin board, all NEN services relying on TLEs are on a "best effort" basis.

g. Summary Data

(1) NEN Mission Phase Requirements

Refer to Table B-1.

B.1.2 Space Network Services – Not Applicable

B.1.3 Customer Integration and Test

a. <u>Customer Requirements</u>

SAC-D requires confirmation of compatibility with the NEN services. SAC-D will perform an extensive test plan to exercise the Network.

The main objectives of the testing are to demonstrate compatibility among the Network's S-band Radio Frequency (RF) equipment, demonstrate data flow starting in the MOC with sequences and real-time commands and telemetry, demonstrate the ability of the MOC to develop a 2-week sequence during the nominal timeline, and exercise Launch operations with all external agencies involved.

Table B-1. NEN Mission Phase Requirements

Phase	Period	No. of Contacts Required (Min. /Max.) (per day)	Contact Duration Required (Min. /Max.)	Total Contact Time (minutes
Phase	(e.g., L+30 days)	(with. /wax.) (per day)	(minutes)	per day)

Testing	As required	As required	As required	
LEOP Stage 1	48 hours	2 days x 14~ orbits/day x 3 contacts/orbit	5/10 mins	420
Ops Checkout & LEOP Stage 2	L+3 days to L+24 days	22 days x 14~ orbits/day x 1 contact/orbit	10 mins	140
Ops Checkout & LEOP Stage 3	L+25 days to L+45 days	21 days x 14~ orbits/day x 2.4 contacts/orbit	5/10 mins	336
Proficiency	Life of Mission	As required	As required	
Contingency	Life of Mission	As required	As required	
Maneuvers	1 per month	5 contacts	10 mins	50
Cold Sky Calibrations	1 per month	2 contacts (1 contact before maneuver, 1 contact after)	15 mins	30
End of Mission	L+5 years	As required	As required	

NOTE: Stages may be extended in case of any delay during LEOP up to L+60 days.

b. Services Provided

The Network Operations Manager (NOM) will conduct Integration and Test (I&T) activity. The NOM will provide a test plan that will verify the ground stations operational readiness status for SAC-D service. The test plan will assure proper documentation is available to identify all the NEN requirements, identify all NEN parameters required to configure the NEN for SAC-D service, and assure that the NEN systems are fully tested to the extent possible, and function in an operational environment. The NOM will identify and document all discrepancies.

c. ESC Requirements

The ESC requires validation of the interfaces between the SAC-D platform and ground systems and the resources. This validation includes RF Compatibility testing, Data Flow testing, and End-to-End (ETE) testing. Every attempt is made to accommodate ESC requirements within the customer's test programs. Table B-2 provides the initial schedule of test events.

Table B-2. Customer Integration and Test

Test Event	Date
Compatibility Test Van (CTV)	December 2009
Connectivity and Data Flow Testing	January 2010
ETE Testing	March 2010 to June 2010
Weekly Proficiency Tests	July 2010 to Launch
Mission Dress Rehearsal	April 2011 (due to slip)

B.1.4 Satellite Laser Ranging Services – Not Applicable

B.1.5 Radio Frequency Interface Control Document

The RF interface control requirements are described in the *Radio Frequency Interface Control Document (RFICD)* between SAC-D Mission and the Ground Network (GN), 450-RFICD-SAC-D/GN.

B.2 DEEP SPACE NETWORK SERVICES – NOT APPLICABLE

B.3 FLIGHT DYNAMICS SERVICES

The FDF will provide Orbit Determination (OD), Launch, and definitive orbit solution data for the SAC-D Spacecraft. The Goddard Space Flight Center (GSFC) organization is the Navigation and Mission Design Branch (Code 595).

B.3.1 Customer Requirements

During LEOP operations, FDF will provide trajectory and orbit analysis, orbit prediction, and definitive orbit solution data for use in Global Positioning System (GPS) calibration. FDF will receive and process all SAC-D tracking data from NEN resources, including NEN angle data and Doppler data. FDF service is required for a period of 60 days following Launch.

B.3.2 Services Provided

FDF products will include:

- OD services during the first 60 days of on-orbit activity, including acquisition of tracking data from ground stations, production of predicted ephemeris data sets, and distribution of ephemeris data to NENSO.
- Launch day ephemeris updates based on OD, which are typically done at separation +3 and separation +5 hours (depending on the Launch day tracking profile).
- OD services include generating a definitive state vector using tracking data from selected sites based on
 pre-launch analysis of the solution accuracy versus tracking; it will be Comision Nacional de Actvidades
 Espaciales (CONAE) task to compare the GPS state vector to the FDF solution and to calculate the bias in
 their GPS measurement.

B.4 NASA INTEGRATED SERVICES NETWORK SERVICES

For SAC-D, NISN provides data and voice services between the elements of the NEN and the customer's facilities. NISN is managed from Marshall Space Flight Center (MSFC), with an organization at GSFC for the Mission Network services provided to their customers. Refer to Tables B-3 and B-4.

Table B-3. SAC-D Circuits

Service ID	Service Title	Service Unit Description	Units FY07	Units FY08	Units FY09	Units FY10	Units FY11	Units FY12	Units FY13	Units FY14
	International Service, Cordoba Argentina- GSFC, 64 kbps- USER FUNDED	Service Rate/Month	1	12	12	12	12	12	12	12

Table B-4. Summary of WAN Services

Source Document	Site A (From)	Site B (To)	Protocol	Data Rate (kbps)	Start Date	Stop Date	Technical POC	Service Title	Units
PSLA	Cordoba, Argentina	GSFC	IP/ Voice	64	08/2007	07/2014	TBS	Data/ Voice	12

SECTION C. REQUIREMENTS FOR NON-NASA SERVICES – NOT APPLICABLE

SECTION D. SERVICE AND SCHEDULE SUMMARY

D.1 FUNDING RESPONSIBILITY

All customers are responsible for the costs to generate the RFICD. The Aquarius Project at GSFC funded the RFICD.

For SAC-D, the ESC data services will be funded by NASA.

The customer will coordinate with FDF to pay for FDF services.

NISN, through their Operating Plan, provides for core services. For SAC-D, the NISN customer-unique costs are funded by the Aquarius Project at GSFC.

D.2 ESTIMATED SERVICES FOR FUTURE YEARS (FY12 – FY16)

For planning purposes only, Table D-1 estimates the projection for operations service requirements in future years.

Service Projections Current Unit Year **Service Title** Description (FY11) FY12 FY13 FY14 FY15 FY16 Launch & Early Orbit Contact 84 0 0 0 0 0 Ops Checkout & LEOP Contact 1014 0 0 0 0 0 Maneuvers Contact 30 60 60 60 60 60 Calibrations Contact 12 24 24 24 24 FDF: Data 60 0 0 0 0 Products **Ephemeris Updates Orbit Determination** NISN Month 12 12 12 12 12 12

Table D-1. Estimated Services for FY12 - FY16

D.2.1 Customer's Master Schedule

Refer to Appendix A for customer's master schedule.

D.2.2 NIMO Summary Schedule

Refer to Appendix B for NIMO summary schedule.

D.2.3 Customer Deliverables

Task	Due Date		
Confirmation Letter	April 27, 2005		

Mission Operations Peer Review	July 15, 2005
Mission CDR	July 21, 2008
Integration Test Readiness Review	June 25 to July 3, 2007
Flight Operations Review (FOR)	February 10, 2010
Operational Readiness Review (ORR)	December 6, 2010

SECTION E. PROJECTED DOCUMENTATION SET

	Memorandum of Agreement/Memorandum of Understanding (MOA/MOU) Memorandum of Understanding Between the National Aeronautics and Space Administration of the United States of America and The Comision Nacional de Actvidades Espaciales of the Republic of Argentina for Cooperation on the Aquarius/SAC-D Mission, 450-AGMT-0081; https://code450ngin.gsfc.nasa.gov/
\boxtimes	Radio Frequency Interface Control Document
	Radio Frequency Interface Control Document (RFICD) Between SAC-D (Satélite de Aplicaciones Científicas) and the Ground Network (GN), 450-RFICD-SAC-D/GN; https://code450ngin.gsfc.nasa.gov/
	Interface Control Document (ICD)
\boxtimes	Network Requirements Document (NRD)
	Satellite de Aplicaciones Cientificas-D (SAC-D) Network Requirements Document, 450-NRD-SAC-D; https://code450ngin.gsfc.nasa.gov/
\boxtimes	Network Operations Support Plan (NOSP)
	Mission Operations Readiness Review (MORR)
\boxtimes	Other
	Network Test Plan for the Satellite de Aplicaciones Cientificas-D (SAC-D) Mission, NENS-CCE-NTP-0273; https://code450ngin.gsfc.nasa.gov/

Reference Documents:

Near Earth Network Users Guide (NENUG), 453-NENUG; http://esc.gsfc.nasa.gov

Data Services Management Center Operations Interface Procedure, 450-OIP-DSMC; https://code450ngin.gsfc.nasa.gov/

Configuration Management Freeze Policy for the Integrated Networks and Supporting Elements, 451-CMFP-Integrated Networks/Supporting Elements; https://code450ngin.gsfc.nasa.gov/